



SMK-Series

Industrial-grade Ruggedized Portable Multi IO Device
Designed for the Toughest Environments



Why choose TITAN TMK


- Portable
- 3x17.3~20 TFT LCD
- Optional Keyboard and Touch Pad
- 2x USB port on Panel
- AC/ DC Power in
- Single Signal Input
- Optional touch panel
- Optional Sunlight readable

Inspired by our broad ruggedized computing solutions for mission-critical applications, we are introducing our Portable Multi IO Device SMK Series.

Titan SMK offers a 3x17.3" Full HD or a 3x20" active TFT LCD screen, providing users with larger display area for more information; Full size of Keyboard and water proof touch pad. Put it at the heart of your high-performance portable computer solutions. Designed for field and mobile applications!


Spark SMK all metal portable with Triple LCD and USB ports and optional Keyboard Mouse

Titan SMK allows you to use it in the tough environment, with 17" 1280x1024 or 20" 1600x1200 Active Matrix LCD display, full size of keyboard and water proof of touch pad.



SMK173

	Look Down	Front View	Bottom View	Side View	Rear View
1	Optional Keyboard	1 st LCD	Feet	Handle	VESA Mounting Hole
2	Touch Pad	3 rd LCD	Display Port	3 rd LCD Latch	VESA Mounting Hole
3	Handle	2 nd LCD	USB in	Keyboard Latch	Stand
4	Rubber corner	OSD Button	AC/DC Power Socket	Stand	Feet
5	2 nd LCD	3 rd LCD latch	Power Switch	Keyboard	Rubber Corner
6	3 rd LCD	2x USB port	Keyboard Hinge		
7	Optional Stand	Keyboard Latch	Keyboard Hook		



SMK 201

	Rear View	Front View	Bottom View	Left View	Right View
1	Optional Fan	1 st LCD	Extend Feet	Handle	Handle
2	Air Through holes	3 rd LCD	Air Through holes	Rubber Corner	Rubber Corner
3	DVI Input	2 nd LCD	Power Switch	Keyboard Latch	Keyboard Latch
4	DVI Input	3 ^{re} LCD OSD	AC Power Input		Keyboard Hook
5	DVI Input	1 st LCD OSD	DVI Input		
6	AC Power Input	2 nd LCD OSD	DVI Input		
7	Power Switch	Extend Feet	DVI Input		

Model	SMK 173	SMK 201
Display	3x17,3" 1920x1080	3x 20" 1600x1200
Video Input	Single Display port/ 3x DVI	3x DVI
Keyboard/Touchpad	Optional	None
USB port	2x on Front Panel	None
Power Input	AC 110~240 /DC 12V	AC 110~240 optional DC 12V
Holding	Desktop/ Optional Wall Mount	
Dimension	440x340x120 mm,	472x473x176 mm
Weight	9.3Kg	15.6Kg

Taiwan

Storage System Inc.
No. 245, Zhongzheng Road,
Shulin District, New Taipei City
Taiwan, R.O.C
<http://www.ssiportable.com>
Tel: +886 2 2682-5650
Fax: +886 2 2682-5649

USA

TRANS 2000 Inc.
18320 Bedford Circle
La Puente, CA 91744 USA
www.trans2000.com
Tel: 1 626-839-1389
Fax: 1 626-217-2080